POWER MOBILITY

2014 Product Catalog

Drive Medical's broad line of power mobility products exceeds the market demand for quality, selection, reliability & value.

for the road ahead™

About Drive

The Company markets and distributes its products to customers located throughout North America, Europe, Central America, South America, the Middle East and Asia.

Drive Medical Design and Manufacturing is one of the fastest growing global manufacturers and distributors of durable medical equipment. The Company markets and distributes its products to customers located throughout North America, Europe, Central America, South America, the Middle East and Asia.

Philosophy/Mission

Our mission is to manufacture and market world class products which focus on innovation, functionality and value to improve the quality of life and to promote independence for the individuals that use our products. The Company is dedicated to its customers by consistently offering the best quality and most functional products across a broad spectrum of health care providers' needs; better value and aggressive pricing; world-class customer service and technical support; friendly people to work with; and ongoing innovation.

Facilities

Drive has corporate offices and distribution facilities located throughout the United States, Canada, the United Kingdom, Germany, Romania, China and Taiwan. The Company's North America Technical Service Center is located in Bohemia, New York.

Office Locations

Corporate Headquarters

99 Seaview Boulevard
Port Washington, NY 11050
t: 877.224.0946 | 516.998.4600
f: 516.998.4601

CHAD® / Inovo

401 Leonard Blvd N
Lehigh Acres, FL 33971

Distribution Centers

Southeast and Central US Distribution Center
4131 Southmeadow Parkway West
Suite 100
Atlanta, GA 30349

West Coast Distribution Center
3550-B Jurupa Street
Ontario, CA 91761

North East Distribution Center
200 Docks Corner Road
Suite 241
South Brunswick, NJ 08810

International Distribution Center
Drive Medical Canada Inc.
50 Vogell Road, Unit 7
Richmond Hill, Ontario L4B 3K6

Technical Service Center

1101 Lakeland Avenue
Suite 100
Bohemia, NY 11716
t: 866.694.5085

For international Operations visit www.drivemedical.com

Icon Library

New Product
1-Pack Available
Allergy Free
Environment Friendly
Fashion Colors
Latex Free
Retail Packaged
Tool-free Assembly
Weight Capacity
Bariatric Weight Capacity

Item #	Seat	UOM
CPN16FBA	16" Sling Seat	1/cs
CPN18FBA	18" Sling Seat	1/cs
CPN20FBA	20" Sling Seat	1/cs

1PACK

300 lb

HCPCS
K0822

Cirrus Plus EC

Folding Power Wheelchair
Rear-Wheel Drive

- Foldable, lightweight frame for easy portability. (Figure A)
- Attractive steel cross-brace frame.
- Armrests are padded, adjustable and removable.
- Adjustable-length controller mount.
- Adjustable-tension back upholstery.
- Swing-away footrests with heel loops.
- Optional elevating leg rests (Item #CPELR) sold separately.
- Optional 2” seat depth extension (Item #STDS1818N) sold separately.
- Positioning belt included.
- Padded back upholstery with storage pouch and cushioned seat.
- Programmable controller.
- Flat-free, non-marking tires.
- Easy freewheel operation.
- Manual wheel locks.
- General foam seat cushion included.
- Anti-tip wheels.

specifications

HCPCS	K0822	Controller	PG VSi 50A
Weight Capacity	300 lbs.	Motors (2)	24V x 320W x 4600 rpm
Top Speed	5 mph	Batteries (pair)	12V x 36AH (U1)
Maximum Range	15 miles	Charger	4A Offboard
Turning Radius (16” | 18” | 20”)	30" | 32" | 33"	Brakes	Electromagnetic
Climbing Angle	6°	Caster Wheels	8” x 2” Solid
Ground Clearance	4"	Drive Wheels	12.5” x 2.25” Flat-free
CPN16FBA Dimensions	42.5” (L) x 24” (W)	Base Weight	90 lbs.
CPN18FBA Dimensions	42.5” (L) x 26” (W)	Battery Weight (pair)	56 lbs.
CPN20FBA Dimensions	42.5” (L) x 28” (W)	Total Weight	146 lbs.
Floor-to-Seat Height	18.5”	Warranty on Frame	Lifetime
CPN16FBA Seat Dimensions	16” (W) x 16” (D)	Warranty on Electronic Controller/Drive Train Components	14 Months
CPN18FBA Seat Dimensions	18” (W) x 16” (D)	Warranty on Batteries	6 Months
CPN20FBA Seat Dimensions	20” (W) x 16” (D)		

Item #	Color	Seat	UOM
COBALTBL16FS	Blue	18" Folding Seat	1/cs
COBALTRD16FS	Red	18" Folding Seat	1/cs

1 PACK

250

HCPCS
K0821

A

Cobalt

Transportable Power Wheelchair
Rear-Wheel Drive

- Full-size performance in a lightweight, easily transportable power wheelchair.
- Quick and easy disassembly. (Figure A)
- Height-adjustable swivel seat features fold-down backrest.
- Armrests are padded, adjustable and removable.
- Adjustable-length controller mount.
- Optional swing-away controller arm (Item #AA4100) sold separately.
- Adjustable, flip-up footplate.
- Optional elevating leg rests (requires Item #AE2500 & Item #LK3JELR) sold separately.
- Positioning belt included.
- Armrest-mounted reflectors.
- Programmable controller.
- Flat-free, non-marking tires.
- Easy freewheel operation.
- Anti-tip wheels.

specifications

HCPCS	KO821	Charger	2A Offboard
Weight Capacity	250 lbs.	Brakes	Electromagnetic
Top Speed	4 mph	Caster Wheels	8” x 2” Solid
Maximum Range	8 miles	Drive Wheels	9" x 3" Flat-free
Turning Radius	29"	Base Weight	74 lbs.
Climbing Angle	6°	Battery Weight (pair)	28 lbs.
Ground Clearance	2"	Seat Weight	19 lbs.
Dimensions	38.5” (L) x 24” (W)	Total Weight	121 lbs.
Floor-to-Seat Height	20" - 23"	Heaviest Piece Weight	52 lbs. (Front Section)
Seat Dimensions	18” (W) x 15” (D)	Warranty on Frame	Lifetime
Controller	Dynamic Shark 40A	Warranty on Electronic Controller/Drive Train Components	14 months
Motors (2)	24V x 120W x 4700 rpm	Warranty on Batteries	6 months
Batteries (pair)	12V x 21AH		

Item #	Color	Seat	UOM
COBALTX14BL16FS	Blue	18" Folding Seat	1/cs
COBALTX14RD16FS	Red	18" Folding Seat	1/cs

1P PACK

250 lb

HCPCS
K0814

A

Cobalt X14

Transportable Power Wheelchair
Rear-Wheel Drive

- Full-size performance in a lightweight, easily transportable power wheelchair.
- Quick and easy disassembly. (Figure A)
- Height-adjustable swivel seat features fold-down backrest.
- Armrests are padded, adjustable and removable.
- Adjustable-length controller mount.
- Optional swing-away controller arm (Item #AA4100) sold separately.
- Adjustable, flip-up footplate.
- Optional elevating leg rests (requires Item #AE2500 & Item #LK3JELR) sold separately.
- Positioning belt included.
- Armrest-mounted reflectors.
- Programmable controller.
- Flat-free, non-marking tires.
- Easy freewheel operation.
- Anti-tip wheels.

specifications

HCPCS	KO814	Charger	2A Offboard
Weight Capacity	250 lbs.	Brakes	Electromagnetic
Top Speed	4 mph	Caster Wheels	8" x 2" Solid
Maximum Range	8 miles	Drive Wheels	9" x 3" Flat-free
Turning Radius	29"	Base Weight	74 lbs.
Climbing Angle	6°	Battery Weight (pair)	28 lbs.
Ground Clearance	2"	Seat Weight	19 lbs.
Dimensions	38.5” (L) x 24” (W)	Total Weight	121 lbs.
Floor-to-Seat Height	20" - 23"	Heaviest Piece Weight	52 lbs. (Front Section)
Seat Dimensions	18” (W) x 15” (D)	Warranty on Frame	Lifetime
Controller	Dynamic Shark 40A	Warranty on Electronic Controller/Drive Train Components	14 months
Motors (2)	24V x 120W x 4700 rpm	Warranty on Batteries	6 months
Batteries (pair)	12V x 21AH		

Item #	Color	Seat	UOM
COBALTX16BL16FS	Blue	18" Folding Seat	1/cs
COBALTX16RD16FS	Red	18" Folding Seat	1/cs

1P PACK

250

HCPCS
K0816

Cobalt X16

Standard Power Wheelchair
Rear-Wheel Drive

- Full-size performance in a lightweight standard power wheelchair.
- Height-adjustable swivel seat features fold-down backrest.
- Armrests are padded, adjustable and removable.
- Adjustable-length controller mount.
- Optional swing-away controller arm (Item #AA4100) sold separately.
- Adjustable, flip-up footplate.
- Optional elevating leg rests (requires Item #AE2500 & Item #LK3JELR) sold separately.
- Positioning belt included.
- Armrest-mounted reflectors.
- Programmable controller.
- Flat-free, non-marking tires.
- Easy freewheel operation.
- Anti-tip wheels.

specifications

HCPCS	K0816	Batteries (pair)	12V x 21AH
Weight Capacity	250 lbs.	Charger	2A Offboard
Top Speed	4 mph	Brakes	Electromagnetic
Maximum Range	8 miles	Caster Wheels	8" x 2" Solid
Turning Radius	29"	Drive Wheels	9" x 3" Flat-free
Climbing Angle	6°	Base Weight	74 lbs.
Ground Clearance	2"	Battery Weight (pair)	28 lbs.
Dimensions	38.5” (L) x 24” (W)	Seat Weight	19 lbs.
Floor-to-Seat Height	20" - 23"	Total Weight	121 lbs.
Seat Dimensions	18” (W) x 15” (D)	Warranty on Frame	Lifetime
Controller	Dynamic Shark 40A	Warranty on Electronic Controller/Drive Train Components	14 months
Motors (2)	24V x 120W x 4700 rpm	Warranty on Batteries	6 months

Item #	Color	Seat	UOM
COBALTX23BL16FS	Blue	18" Folding Seat	1/cs
COBALTX23RD16FS	Red	18" Folding Seat	1/cs

1P PACK

250 lb

HCPCS
K0823

Cobalt X23

Standard Power Wheelchair
Rear-Wheel Drive

- Full-size performance in a lightweight standard power wheelchair.
- Height-adjustable swivel seat features fold-down backrest.
- Armrests are padded, adjustable and removable.
- Adjustable-length controller mount.
- Optional swing-away controller arm (Item #AA4100) sold separately.
- Adjustable, flip-up footplate.
- Optional elevating leg rests (requires Item #AE2500 & Item #LK3JELR) sold separately.
- Positioning belt included.
- Armrest-mounted reflectors.
- Programmable controller.
- Flat-free, non-marking tires.
- Easy freewheel operation.
- Anti-tip wheels.

specifications

HCPCS	KO823	Batteries (pair)	12V x 21AH
Weight Capacity	250 lbs.	Charger	2A Offboard
Top Speed	4 mph	Brakes	Electromagnetic
Maximum Range	8 miles	Caster Wheels	8" x 2" Solid
Turning Radius	29"	Drive Wheels	9" x 3" Flat-free
Climbing Angle	6°	Base Weight	74 lbs.
Ground Clearance	2"	Battery Weight (pair)	28 lbs.
Dimensions	38.5” (L) x 24” (W)	Seat Weight	19 lbs.
Floor-to-Seat Height	20" - 23"	Total Weight	121 lbs.
Seat Dimensions	18” (W) x 15” (D)	Warranty on Frame	Lifetime
Controller	Dynamic Shark 40A	Warranty on Electronic Controller/Drive Train Components	14 months
Motors (2)	24V x 120W x 4700 rpm	Warranty on Batteries	6 months

Item #	Seat	UOM
TITAN18CS	18" Full Back Captain's Seat	1/cs
TITAN20CS	20" Full Back Captain's Seat	1/cs
TITANLB18CS	18" Standard Back Captain's Seat	1/cs
TITANLB18CSX23	18" Standard Back Captain's Seat	1/cs
TITAN18CSX23	18" Full Back Captain's Seat	1/cs
TITAN20CSX23	20" Full Back Captain's Seat	1/cs

HCPCS
K0821 / K0823

TITAN18CS

TITANLB18CS

Titan

Standard Power Wheelchair
Front-Wheel Drive

- Height-adjustable swivel seat features fold-down backrest.
- Includes interchangeable color panels in red and blue.
- Seat back reclines and features adjustable headrest.
- Adjustable-length controller mount.
- Armrests are padded, adjustable and removable.
- Available with 18” or 20” Captain’s Seat.
- Optional swing-away controller arm (Item #AA4100) sold separately.
- Adjustable, flip-up footplate.
- Positioning belt included.
- Optional elevating leg rests (requires Item #AE2500 & Item #LK3JELR) sold separately.
- Programmable controller.
- Flat-free, non-marking tires.
- Easy freewheel operation.
- Anti-tip wheels.

specifications

HCPCS (Full Capt. Seat | Standard Capt. Seat)	K0823 | K0821	Batteries (pair)	12V x 35AH (U1)
Weight Capacity	300 lbs.	Charger	3A Offboard
Top Speed	4 mph	Brakes	Electromagnetic
Maximum Range	15 miles	Caster Wheels	6” x 2” Solid
Turning Radius	25”	Drive Wheels	10” x 3” Flat-free
Climbing Angle	6°	Base Weight	68 lbs.
Ground Clearance	2.5	Battery Weight (pair)	44 lbs.
Dimensions	40” (L) x 25” (W)	Seat Weight	43 lbs.
Floor-to-Seat Height	20.5” - 23”	Total Weight	158 lbs.
Captain’s Seat Dimensions	18” (W) x 18” (D) | 20” (W) x 18” (D)	Warranty on Frame	Lifetime
Controller	Dynamic Shark 40A	Warranty on Electronic Controller/Drive Train Components	14 months
Motors (2)	24V x 200W x 3900 rpm	Warranty on Batteries	6 months

Item #	Seat	UOM
2850-18	18" Captain's Seat	1/cs
2850-20	20" Captain's Seat	1/cs

1P PACK

300 lb

HCPCS
K0823

Trident

Standard Power Wheelchair
Front-Wheel Drive

- Shroudless design offers easy access to internal components and batteries.
- Semi-reclining seat with adjustable headrest offers three height adjustments and two depth options.
- Armrests are padded, adjustable and removable.
- Available with 18" or 20" width Captain's Seat.
- Quick-release pins allow easy seat removal.
- Adjustable, flip-up footplate includes rubber front bumper to prevent damage.
- Positioning belt included.
- Seat position can be adjusted forward and backward.
- Programmable controller.
- Optional swing-away controller arm sold separately.
- Optional elevating leg rests sold separately.
- Black, flat-free non-marking wheels.
- Large, front anti-tip wheels feature suspension for safety, smoother ride and enhanced obstacle handling.
- Controller is protected by metal frame.
- Easy freewheel operation.
- Slide-out battery tray.

specifications

HCPCS	KO823	Batteries (pair)	12V x 36AH (U1)
Weight Capacity	300 lbs.	Charger	4A Offboard
Top Speed	4 mph	Brakes	Electromagnetic
Maximum Range	15 miles	Caster Wheels	8" x 2" Solid
Turning Radius	24"	Drive Wheels	14" x 3" Flat-free
Climbing Angle	7.5°	Base Weight	82 lbs.
Ground Clearance	2"	Battery Weight (pair)	53 lbs.
Dimensions	42.25" (L) x 27.25" (W)	Seat Weight	51 lbs.
Floor-to-Seat Height	21" - 24"	Total Weight	186 lbs.
Seat Dimensions	18" (W) x 18" (D) | 20" (W) x 18" (D)	Warranty of Frame	Lifetime
Controller	PG VR2 50A	Warranty on Electronic Controller/Drive Train Components	14 Months
Motors (2)	24V x 320W x 4600 rpm	Warranty on Batteries	6 months

Item #	Seat	UOM
2800ECBU-RCL	18" Captain's Seat	1/cs
2800ECBU-RCL-20	20" Captain's Seat	1/cs

1P PACK

300 lbs

HCPCS
K0823

A

Image EC

Standard Power Wheelchair
Mid-Wheel Drive

- Includes interchangeable color shrouds in red and blue.
- Front suspension system for extra-smooth ride.
- Available with full-size Captain's Seat in 18" or 20" widths.
- Height-adjustable swivel seat features fold-down backrest.
- Seat back reclines and features adjustable headrest.
- Adjustable-length controller mount.
- Armrests are padded, adjustable and removable.
- Optional swing-away controller arm (Item #SF1009) sold separately.
- Adjustable, flip-up footplate.
- Positioning belt included.
- Optional elevating leg rests (requires Item #ECELR-P, Item #SFELR & Item #LK3JELR) sold separately.
- Flat-free, non-marking tires.
- Easy freewheel operation.
- Easy access to batteries from the rear of the chair. (Figure A)

specifications

HCPCS	K0823	Batteries (pair)	12V x 35AH (U1)
Weight Capacity	300 lbs.	Charger	4A Offboard
Top Speed	4 mph	Brakes	Electromagnetic
Maximum Range	15 miles	Caster Wheels	6" x 2" Solid
Turning Radius	27.5"	Drive Wheels	10" x 3" Flat-free
Climbing Angle	6°	Base Weight	88 lbs.
Ground Clearance	2"	Battery Weight (pair)	53 lbs.
Dimensions	42" (L) x 24" (W)	Seat Weight	51 lbs.
Floor-to-Seat Height	20" - 23"	Total Weight	192 lbs.
Seat Dimensions	18" (W) x 18" (D) | 20" (W) x 18" (D)	Warranty on Frame	Lifetime
Controller	PG VR2 50A	Warranty on Electronic Controller/Drive Train Components	14 Months
Motors (2)	24V x 200W x 3900 rpm	Warranty of Batteries	6 Months

Item #	Seat	UOM
SFATLAS20CS	20” Captain’s Seat	1/ea
SFATLAS22CS	20” Captain’s Seat	1/ea

NEW

1P ACK

350

HCPCS
K0825

Sunfire Atlas

Standard Power Wheelchair
Rear-Wheel Drive

- Height-adjustable swivel seat features fold-down backrest.
- Includes interchangeable color panels in red and blue.
- Seat back reclines and features adjustable headrest.
- Adjustable-length controller mount.
- Armrests are padded, adjustable and removable
- Available with 20” or 22” Captain’s Seat.
- Optional swing-away controller arm (Model #SF1009) sold separately.
- Adjustable, flip-up footplate.
- Positioning belt included.
- Optional elevating legrests (requires Model #ECELR-P, Model #SFELR & Model #LK3JELR) sold separately.
- Programmable controller.
- Flat-free, non-marking tires.
- Easy freewheel operation.
- Anti-tip wheels.

specifications

HCPCS	K0825	Batteries (pair)	12V x 36AH (U1)
Weight Capacity	350 lbs.	Charger	4A Offboard
Top Speed	4 mph	Brakes	Electromagnetic
Maximum Range	15 miles	Caster Wheels	8” x 2” Solid
Turning Radius	31”	Drive Wheels	10” x 3” Flat-free
Climbing Angle	6°	Base Weight	95 lbs.
Ground Clearance	2”	Battery Weight (pair)	48 lbs.
Dimensions	41” (L) x 25.5” (W)	Seat Weight	44 lbs.
Floor-to-Seat Height	20” - 22”	Total Weight	187 lbs.
Seat Dimensions	20” (W) x 18” (D) | 22” (W) x 20” (D)	Warranty on Frame	Lifetime
Controller	PG VR2 50A	Warranty on Electronic Controller/Drive Train Components	14 months
Motors (2)	24V x 320W x 4600 rpm	Warranty on Batteries	6 months

Item #	Color	Seat	UOM
MEDALIST450BL22CS	Blue	22" Captain's Seat	1/cs
MEDALIST450RD22CS	Red	22" Captain's Seat	1/cs
MEDALIST450BL24CS	Blue	24" Captain's Seat	1/cs
MEDALIST450RD24CS	Red	24" Captain's Seat	1/cs

NEW

1P PACK

450 lb BARIATRIC

HCPCS
K0825

Medalist 450

Heavy-Duty Power Wheelchair
Rear-Wheel Drive

- Height-adjustable swivel seat features fold-down backrest.
- Four-post seating.
- Seat back reclines and features adjustable headrest.
- Adjustable-length controller mount.
- Armrests are padded, adjustable and removable.
- Available with 22" or 24" width Captain's Seat.
- Optional swing-away controller arm (Item #AA4100) sold separately.
- Adjustable, flip-up footplate.
- Positioning belt included.
- Optional elevating leg rests (requires Item# AE3000 & Item #HDELR) sold separately.
- Programmable controller.
- Flat-free, non-marking tires.
- Easy freewheel operation.
- Rear battery drawer allows easy access for service or replacement.
- Anti-tip wheels.

specifications

HCPCS	K0825	Batteries (pair)	12V x 55AH
Weight Capacity	450 lbs.	Charger	5A Offboard
Top Speed	4 mph	Brakes	Electromagnetic
Maximum Range	15 miles	Caster Wheels	9" x 2.5" Solid
Turning Radius	31"	Drive Wheels	14" x 3" Flat-free
Climbing Angle	6°	Base Weight	167 lbs.
Ground Clearance	3"	Seat Weight	55 lbs.
Dimensions	40" (L) x 24" (W)	Battery Weight (pair)	66 lbs.
Floor-to-Seat Height	20" - 23"	Total Weight	288 lbs.
Seat Dimensions	22" (W) x 20" (D) | 24" (W) x 20" (D)	Warranty of Frame	Lifetime
Controller	Dynamic Shark 60A	Warranty on Electronic Controller/Drive Train Components	14 Months
Motors (2)	24V x 500W x 4600rpm	Warranty of Batteries	6 Months

Item #	Seat	UOM
CPN22FBA	22" Sling Seat	1/cs

HCPCS
K0824

A

Cirrus Plus HD

Heavy-Duty Folding Power Wheelchair
Rear-Wheel Drive

- Foldable, lightweight frame for easy portability. (Figure A)
- Steel double cross-brace frame.
- Adjustable-tension back upholstery.
- Armrests are padded, adjustable and removable.
- Adjustable-length controller mount.
- Adjustabl-tension back upholstery.
- Swing-away footrests with heel loops.
- Optional elevating leg rests (Item #LELR-TF) sold separately.
- Optional 2” seat depth extension (Model #STDS1818N) sold separately.
- Positioning belt included.
- Padded back upholstery with storage pouch and cushioned seat.
- Programmable controller.
- Flat-free, non-marking tires.
- Easy freewheel operation.
- Manual wheel locks.
- General foam seat cushion included.
- Anti-tip wheels.

specifications

HCPCS	K0824	Batteries (pair)	12V x 36AH (U1)
Weight Capacity	400 lbs.	Charger	4A Offboard
Top Speed	5 mph	Brakes	Electromagnetic
Maximum Range	15 miles	Caster Wheels	8” x 2” Solid
Turning Radius	35"	Drive Wheels	12.5” x 2.25” Flat-free
Climbing Angle	6°	Base Weight	90 lbs.
Ground Clearance	4"	Battery Weight (pair)	56 lbs.
Dimensions	42.5” (L) x 29” (W)	Seat Weight	N/A
Floor-to-Seat Height	20"	Total Weight	146 lbs.
Seat Dimensions	22” (W) x 16” (D)	Warranty on Frame	Lifetime
Controller	PG VSi 50A	Warranty on Electronic Controller/Drive Train Components	14 Months
Motors (2)	24V x 320W x 4600 rpm	Warranty on Batteries	6 Months

Item #	Seat	UOM
WILDCAT450BK24SS	24" Sling Seat	1/cs

HCPCS
K0824

A

Wildcat 450

Heavy-Duty Folding Power Wheelchair
Rear-Wheel Drive

- Foldable, lightweight frame for easy portability. (Figure A)
- Armrests are padded, adjustable and removable.
- Adjustable length controller mount.
- Optional swing-away controller arm (Item #AA1800) sold separately.
- Swing-away footrests with calf strap.
- Optional elevating leg rests (Item #AE2100) sold separately.
- Positioning belt included.
- Padded back upholstery with storage pouch and cushioned seat.
- Programmable controller.
- Flat-free, non-marking tires.
- Easy freewheel operation.
- Wheel locks.
- General foam seat cushion included.
- Anti-tip wheels.

specifications

HCPCS	K0824	Batteries (pair)	12V x 50AH
Weight Capacity	450 lbs.	Charger	5A Offboard
Top Speed	4 mph	Brakes	Electromagnetic
Maximum Range	15 miles	Caster Wheels	9" x 2.5" Solid
Turning Radius	41"	Drive Wheels	12.5" x 2.25" Flat-free
Climbing Angle	6°	Base Weight	100 lbs.
Ground Clearance	4"	Battery Weight (pair)	73 lbs.
Dimensions	48" (L) x 26.5" (W)	Seat Weight	N/A
Floor-to-Seat Height	20"	Total Weight	173 lbs.
Seat Dimensions	24" (W) x 20" (D)	Warranty on Frame	Lifetime
Controller	Dynamic Shark 60A	Warranty on Electronic Controller/Drive Train Components	14 Months
Motors (2)	24V x 350W x 3800 rpm	Warranty on Batteries	6 Months

Item #	Seat	Color	UOM
SFSCOUT3	16.5" Folding Seat	Red	1/cs

HCPCS
K0800

Spitfire Scout 3
Compact Travel Scooter

- Quick and easy disassembly.
- Color-through panels to hide scuffs and scratches.
- Armrests are padded and adjustable.
- Quick connect batteries.
- Ergonomic throttle control.
- Height-adjustable swivel seat with fold-down backrest.
- Flat-free, non-marking tires.
- Large, plastic carry basket.
- Easy-to-adjust tiller.
- Anti-tip wheels.
- Delta tiller.
- Easy freewheel operation

specifications			
HCPCS	K0080	Charger	2A Offboard
Weight Capacity	300 lbs.	Brakes	Electromagnetic
Top Speed	4.25 mph	Front Wheels	8” x 2” Flat-free
Maximum Range	9 miles	Rear Wheels	8” x 2” Flat-free
Turning Radius	53.75”	Base Weight	49 lbs.
Climbing Angle	6°	Battery Weight (pair)	20 lbs.
Ground Clearance	2.5”	Seat Weight	16 lbs.
Dimensions	42.5” (L) x 20.5” (W)	Total Weight	85 lbs.
Floor-to-Seat Height	17” - 19”	Heaviest Piece Weight (Front Section)	29 lbs.
Seat Dimensions	16.5” (W) x 16” (D)	Warranty on Frame	Lifetime
Controller	CTE 45A	Warranty on Electronic Controller/Drive Train Components	14 months
Motor	24V x 270W x 4700 rpm	Warranty on Batteries	6 months
Batteries (pair)	12V x 12AH		

Item #	Seat	Color	UOM
SFSCOUT4	16.5" Folding Seat	Red	1/cs

HCPCS
K0800

A

Spitfire Scout 4
Compact Travel Scooter

- Quick and easy disassembly. (Figure A)
- Color-through panels to hide scuffs and scratches.
- Armrests are padded and adjustable.
- Quick connect batteries.
- Ergonomic throttle control.
- Height-adjustable swivel seat with fold-down backrest.
- Flat-free, non-marking tires.
- Large, plastic carry basket.
- Easy-to-adjust tiller.
- Anti-tip wheels.
- Delta tiller.
- Easy freewheel operation

specifications

HCPCS	K0800
Weight Capacity	300 lbs.
Top Speed	4.25 mph
Maximum Range	9 miles
Turning Radius	53.75”
Climbing Angle	6°
Ground Clearance	2.5”
Dimensions	42.5” (L) x 20.5” (W)
Floor-to-Seat Height	17” - 19”
Seat Dimensions	16.5” (W) x 16” (D)
Controller	CTE 45A
Motor	24V x 270W x 4700 rpm
Batteries (pair)	12V x 12AH

Charger	2A Offboard
Brakes	Electromagnetic
Front Wheels	8” x 2” Flat-free
Rear Wheels	8” x 2” Flat-free
Base Weight	58 lbs.
Battery Weight (pair)	20 lbs.
Seat Weight	16 lbs.
Total Weight	94 lbs.
Heaviest Piece Weight (Front Section)	39 lbs.
Warranty on Frame	Lifetime
Warranty on Electronic Controller/Drive Train Components	14 months
Warranty on Batteries	6 months

Item #	Seat	Color	UOM
SFSCOUTDLX3	16.5" Folding Seat	Red/Blue	1/ea

HCPCS
K0800

Spitfire Scout 3 - DLX

Compact Travel Scooter

- Quick and easy disassembly.
- Glossy finish interchangeable color shrouds in Red and Blue.
- Armrests are padded and adjustable.
- Quick connect batteries.
- Ergonomic throttle control.
- Height-adjustable swivel seat with fold-down backrest.
- Flat-free, non-marking tires.
- Large, plastic carry basket.
- Easy-to-adjust tiller.
- Anti-tip wheels.
- Delta tiller.
- Easy freewheel operation

specifications

HCPCS	K0800	Charger	2A Offboard
Weight Capacity	300 lbs.	Brakes	Electromagnetic
Top Speed	4.25 mph	Front Wheels	8" x 2" Flat-free
Maximum Range	15 miles	Rear Wheels	8" x 2" Flat-free
Turning Radius	51.2"	Base Weight	49 lbs.
Climbing Angle	6°	Battery Weight (pair)	20 lbs.
Ground Clearance	2.5"	Seat Weight	16 lbs.
Dimensions	42.5" (L) x 20.5" (W)	Total Weight	85 lbs.
Floor-to-Seat Height	17" - 19"	Heaviest Piece Weight (Front Section)	29 lbs.
Seat Dimensions	16.5" (W) x 16" (D)	Warranty on Frame	Lifetime
Controller	CTE 45A	Warranty on Electronic Controller/Drive Train Components	14 months
Motor	24V x 270V x 4700 rpm	Warranty on Batteries	6 months
Batteries (pair)	12V x 12AH		

Item #	Seat	Color	UOM
SFSCOUTDLX4	16.5" Folding Seat	Red/Blue	1/cs

HCPCS
K0800



A

Spitfire Scout 4 - DLX
Compact Travel Scooter

- Quick and easy disassembly. (Figure A)
- Glossy finish interchangeable color shrouds in Red and Blue.
- Armrests are padded and adjustable.
- Quick connect batteries.
- Ergonomic throttle control.
- Height-adjustable swivel seat with fold-down backrest.
- Flat-free, non-marking tires.
- Large, plastic carry basket.
- Easy-to-adjust tiller.
- Anti-tip wheels.
- Delta tiller.
- Easy freewheel operation

specifications

HCPCS	K0800	Charger	2A Offboard
Weight Capacity	300 lbs.	Brakes	Electromagnetic
Top Speed	4 mph	Front Wheels	8” x 2” Flat-free
Maximum Range	15 miles	Rear Wheels	8” x 2” Flat-free
Turning Radius	53.75”	Base Weight	58 lbs.
Climbing Angle	6°	Battery Weight (pair)	20 lbs.
Ground Clearance	2.5”	Seat Weight	16 lbs.
Dimensions	42.5” (L) x 20.5” (W)	Total Weight	94 lbs.
Floor-to-Seat Height	17” - 19”	Heaviest Piece Weight (Font Section)	39 lbs.
Seat Dimensions	16.5” (W) x 16” (D)	Warranty on Frame	Lifetime
Controller	CTE 45A	Warranty on Electronic Controller/Drive Train Components	14 months
Motor	24V x 270W x 4700 rpm	Warranty on Batteries	6 months
Batteries (pair)	12V x 12AH		

Item #	Seat	Battery	UOM
SPITFIRE132016FS12	16" Folding Seat	12AH	1/cs
SPITFIRE132016FS21	16" Folding Seat	21AH	1/cs

HCPCS
K0800

A

Spitfire EX 1320
Compact Travel Scooter

- Includes interchangeable color panels in Red, Blue and Silver.
- Quick and easy disassembly. (Figure A)
- Armrests are padded and adjustable.
- Quick connect batteries.
- Ergonomic throttle control.
- Height adjustable swivel seat with two-tone upholstery.
- Flat-free, non-marking tires.
- Large, plastic carry basket with removable liner bag.
- Easy-to-adjust tiller.
- Anti-tip wheels.
- Available with 12AH or 21AH batteries.
- 21AH batteries increase scooter's maximum range.
- Swivel seat with fold-down backrest.
- Delta tiller.
- Armrest-mounted reflectors.
- Easy freewheel operation.

specifications

HCPCS	K0800	Charger	2A Offboard
Weight Capacity	300 lbs.	Brakes	Electromagnetic
Top Speed	5 mph	Front Wheel	7.5" x 2" Flat-free
Maximum Range	9 miles (12AH) | 15 miles (21AH)	Rear Wheels	8.5" x 3" Flat-free
Turning Radius	46"	Base Weight	60 lbs.
Climbing Angle	6°	Battery Weight (pair)	22 lbs. (12AH) | 28 lbs. (21AH)
Ground Clearance	3"	Seat Weight	17 lbs.
Dimensions	39" (L) x 19.5" (W)	Total Weight	99 lbs. (12AH) | 105 lbs. (21AH)
Floor-to-Seat Height	19" - 21"	Heaviest Piece Weight	34 lbs. (Front Section)
Seat Type	Folding	Warranty on Frame	Lifetime
Seat Dimensions	17" (W) x 16" (D)	Warranty on Electronic Controller/Drive Train Components	14 Months
Batteries (pair)	12V x 12AH | 12V x 21AH	Warranty on Batteries	6 Months
Motor	24V x 270W x 4700 rpm		

Item #	Seat	Battery	UOM
SPITFIRE142016FS12	16" Folding Seat	12AH	1/cs
SPITFIRE142016FS21	16" Folding Seat	21AH	1/cs

1P PACK

300 lbs

HCPCS
K0800

A

Spitfire EX 1420

Compact Travel Scooter

- Includes interchangeable color panels in Red, Blue and Silver.
- Quick and easy disassembly. (Figure A)
- Armrests are padded and adjustable.
- Quick connect batteries.
- Ergonomic throttle control.
- Height-adjustable swivel seat with two-tone upholstery.
- Flat-free, non-marking tires.
- Large, plastic carry basket with removable liner bag.
- Easy-to-adjust tiller.
- Anti-tip wheels.
- Available with 12AH or 21AH batteries.
- 21AH batteries increase scooter's maximum range.
- Swivel seat with fold-down backrest.
- Delta tiller.
- Armrest-mounted reflectors.
- Easy freewheel operation.

specifications

HCPCS	K0800	Charger	2A Offboard
Weight Capacity	300 lbs.	Brakes	Electromagnetic
Top Speed	5 mph	Front Wheels	7.5" x 2" Flat-free
Maximum Range	9 miles(12AH) | 15 miles (21AH)	Rear Wheels	8.5" x 3" Flat-free
Turning Radius	54"	Base Weight	66 lbs.
Climbing Angle	6°	Battery Weight	22 lbs. (12AH) | 28 lbs. (21AH)
Ground Clearance	3"	Seat Weight	17 lbs.
Dimensions	42" (L) x 20" (W)	Total Weight	105 lbs. (12AH) | 111 lbs. (21AH)
Floor-to-Seat Height	19" - 21"	Heaviest Piece Weight	40 lbs. (Front Section)
Seat Type	Folding	Warranty on Frame	Lifetime
Seat Dimensions	17" (W) x 16" (D)	Warranty on Electronic Controller/Drive Train Components	14 Months
Motor	24V x 270W x 4700 rpm	Warranty on Batteries	6 Months
Batteries (pair)	12V x 12AH | 12V x 21AH		

Item #	Seat	UOM
PHOENIXHD3	17.5" Folding Seat	1/cs

HCPCS
K0801


A

B

Phoenix HD 3
Heavy-Duty Travel Scooter

- Quick and easy disassembly. (Figure A)
- Includes interchangeable color panels in Red and Blue. (Figure B)
- Armrests are padded and adjustable.
- Quick connect batteries.
- Ergonomic throttle control.
- Height-adjustable swivel seat with two-tone upholstery.
- Flat-free, non-marking tires.
- Large, plastic carry basket.
- Easy-to-adjust tiller.
- Anti-tip wheels.
- Headlight.
- Swivel seat with fold-down backrest.
- Easy freewheel operation.

specifications

HCPCS	K0801	Batteries (pair)	12V x 20AH
Weight Capacity	350 lbs.	Charger	1.5A Offboard
Top Speed	4 mph	Brakes	Electromagnetic
Maximum Range	15 miles	Front Wheel	8”x 2” Flat-free
Turning Radius	43"	Rear Wheels	8”x 2” Flat-free
Climbing Angle	6°	Base Weight	63 lbs.
Ground Clearance	3.75"	Battery Weight (pair)	31 lbs.
Dimensions	39" (L) x 22.5" (W)	Seat Weight	21 lbs.
Floor-to-Seat Height	20" - 22"	Total Weight	115 lbs.
Drive System	24V x 350W x 3600rpm	Heaviest Piece Weight	32 lbs. (Front Section)
Seat Type	Folding	Warranty on Frame	Lifetime
Seat Dimensions	17.5" (W) x 17" (D)	Warranty on Electronic Controller/Drive Train Components	14 Months
Motor	24V x 350W x 3600 rpm	Warranty on Batteries	6 months

Item #	Seat	UOM
PHOENIXHD4	17.5" Folding Seat	1/cs

HCPCS
K0801


A

B

Phoenix HD 4
Heavy-Duty Travel Scooter

- Quick and easy disassembly. (Figure A)
- Includes interchangeable color panels in Red and Blue. (Figure B)
- Armrests are padded and adjustable.
- Quick connect batteries.
- Ergonomic throttle control.
- Height-adjustable swivel seat with two-tone upholstery.
- Flat-free, non-marking tires.
- Large, plastic carry basket.
- Easy-to-adjust tiller.
- Anti-tip wheels.
- Headlight.
- Swivel seat with fold-down backrest.
- Easy freewheel operation.

specifications

HCPCS	K0801	Charger	1.5A Offboard
Weight Capacity	350 lbs.	Brakes	Electromagnetic
Top Speed	4 mph	Front Wheels	8” x 2” Flat-free
Maximum Range	15 miles	Rear Wheels	8” x 2” Flat-free
Turning Radius	54”	Base Weight	77 lbs.
Climbing Angle	6°	Battery Weight	31 lbs.
Ground Clearance	3.75”	Seat Weight	21 lbs.
Dimensions	41.5” (L) x 22.5” (W)	Total Weight	129 lbs.
Floor-to-Seat Height	20” - 22”	Heaviest Piece	46 lbs. (Front Section)
Seat Type	Folding	Warranty on Frame	Lifetime
Motor	24V x 350W x 3600 rpm	Warranty on Electronic Controller/Drive Train Components	14 Months
Seat Dimensions	17.5” (W) x 17” (D)	Warranty on Batteries	6 Months
Batteries (pair)	12V x 20AH		

Item #	Seat	UOM
VENTURA318FS	18" Folding Seat	1/cs

HCPCS
K0807

A

Ventura 3
Midsize Scooter

- Includes interchangeable color panels in Red and Blue. (Figure A)
- Armrests are padded and adjustable.
- Floorboard with 23” of foot space.
- Ergonomic throttle control.
- Height-adjustable swivel seat with fold-down backrest.
- Flat-free, non-marking tires.
- Seat position can be adjusted forward or backward.
- Rear suspension.
- Programmable controller.
- Large, plastic carry basket.
- Easy-to-adjust tiller.
- Anti-tip wheels.
- Headlight.
- Delta tiller.
- Easy freewheel operation.

specifications

HCPCS	K0807	Batteries (pair)	12V x 20AH
Weight Capacity	350 lbs.	Charger	4A Offboard
Top Speed	5 mph	Brakes	Electromagnetic
Maximum Range	15 miles	Front Wheels	10” x 3” Flat-free
Turning Radius	53”	Rear Wheels	10” x 3” Flat-free
Climbing Angle	7.5°	Base Weight	88 lbs.
Ground Clearance	2.5”	Battery Weight (pair)	28 lbs.
Dimensions	48” (L) x 25” (W)	Seat Weight	26 lbs.
Floor-to-Seat Height	21.5” - 23.5”	Total Weight	142 lbs.
Seat Type	Folding	Warranty on Frame	Lifetime
Seat Dimensions	18” (W) x 17.5” (D)	Warranty on Electronic Controller/Drive Train Components	14 Months
Motor	24V x 350W x 5100 rpm	Warranty on Batteries	6 Months

Item #	Seat	UOM
VENTURA418FS	18" Folding Seat	1/cs

HCPCS
K0807

A

Ventura 4
Midsize Scooter

- Includes interchangeable color panels in Red and Blue. (Figure A)
- Armrests are padded and adjustable.
- Ergonomic throttle control.
- Height-adjustable swivel seat with fold-down backrest.
- Flat-free, non-marking tires.
- Large, plastic carry basket.
- Seat position can be adjusted forward or backward.
- Front and rear suspension.
- Programmable controller.
- Easy-to-adjust tiller.
- Anti-tip wheels.
- Headlight.
- Delta tiller.
- Easy freewheel operation.

specifications

HCPCS	K0807	Batteries (pair)	12V x 20AH
Weight Capacity	350 lbs.	Charger	4A Offboard
Top Speed	4 mph	Brakes	Electromagnetic
Maximum Range	15 miles	Rear Wheels	10” x 3” Flat-free
Turning Radius	54”	Base Weight	99 lbs.
Climbing Angle	7.5°	Battery Weight (pair)	28 lbs.
Ground Clearance	2.5”	Seat Weight	26 lbs.
Dimensions	48” (L) x 25” (W)	Total Weight	153 lbs.
Floor-to-Seat Height	22” - 24”	Warranty on Frame	Lifetime
Seat Type	Folding	Warranty on Electronic Controller/Drive Train Components	14 Months
Seat Dimensions	18” (W) x 17.5” (D)	Warranty on Batteries	6 Months
Motor	24V x 350W x 5100 rpm		

Item #	Seat	UOM
VENTURA318CS	18" Captain's Seat	1/cs
VENTURA320CS	20" Captain's Seat	1/cs

A

Ventura 3 DLX

Midsize Scooter

- Includes interchangeable color panels in Red and Blue. (Figure A)
- 36 AH batteries for extended range.
- Armrests are padded and adjustable.
- Floorboard with 23" of foot space.
- Ergonomic throttle control.
- Height-adjustable swivel seat features fold-down backrest.
- Seat position can be adjusted forward or backward.
- Rear suspension.
- Programmable controller.
- Seat back reclines and features adjustable headrest.
- Available with 18" or 20" width Captain's Seat.
- Flat-free, non-marking tires.
- Large, plastic carry basket.
- Easy-to-adjust tiller.
- Anti-tip wheels.
- Headlight.
- Rearview mirrors.
- Turn signals/hazard lights.
- Delta tiller.
- Easy freewheel operation.

specifications

HCPCS	N/A	Batteries (pair)	12V x 36AH
Weight Capacity	350 lbs.	Charger	4A Offboard
Top Speed	5 mph	Brakes	Electromagnetic
Maximum Range	22 miles	Front Wheels	10" x 3" Flat-free
Turning Radius	53"	Rear Wheels	10" x 3" Flat-free
Climbing Angle	7.5°	Base Weight	88 lbs.
Ground Clearance	2.5"	Battery Weight (pair)	46 lbs.
Dimensions	48" (L) x 25" (W)	Seat Weight	40 lbs.
Floor-to-Seat Height	20.5" - 23.5"	Total Weight	174 lbs.
Seat Type	Captain's	Warranty on Frame	Lifetime
Seat Dimensions	18" (W) x 18" (D) | 20" (W) x 18" (D)	Warranty on Electronic Controller/Drive Train Components	14 Months
Motor	24V x 350W x 5100 rpm	Warranty on Batteries	6 Months

Item #	Seat	UOM
VENTURA418CS	18" Captain's Seat	1/cs
VENTURA420CS	20" Captain's Seat	1/cs

A

Ventura 4 DLX

Midsize Scooter

- Includes interchangeable color panels in Red and Blue. (Figure A)
- Armrests are padded and adjustable.
- 36AH batteries for extended range.
- Ergonomic throttle control.
- Height-adjustable swivel seat features fold-down backrest.
- Seat back reclines and features adjustable headrest.
- Seat position can be adjusted forward and backward.
- Front and rear suspension.
- Programmable controller.
- Available with 18" or 20" width Captain's Seat.
- Flat-free, non-marking tires.
- Large, plastic carry basket.
- Easy-to-adjust tiller.
- Anti-tip wheels.
- Headlight.
- Rearview mirrors.
- Turn signals/hazard lights.
- Delta tiller.
- Easy freewheel operation.

specifications

HCPCS	N/A	Batteries (pair)	12V x 36AH
Weight Capacity	350 lbs.	Charger	4A Offboard
Top Speed	5 mph	Brakes	Electromagnetic
Maximum Range	22 miles	Front Wheels	10" x 3" Flat-free
Turning Radius	54"	Rear Wheels	10" x 3" Flat-free
Climbing Angle	7.5°	Base Weight	99 lbs.
Ground Clearance	2.5"	Battery Weight (pair)	46 lbs.
Dimensions	48" (L) x 25" (W)	Seat Weight	40 lbs.
Floor-to-Seat Height	22" - 24"	Total Weight	185 lbs.
Seat Dimensions	18" (W) x 18" (D) | 20" (W) x 18" (D)	Warranty on Frame	Lifetime
Seat Type	Captain's	Warranty on Electronic Controller/Drive Train Components	14 Months
Motor	24V x 350W x 5100 rpm	Warranty on Batteries	6 Months

Item #	Seat	UOM
PROWLER3310MG20CS	20" Captain's Seat	1/cs
PROWLER3310MG22CS	22" Captain's Seat	1/cs

HCPCS
K0899

Prowler 3310
Large Scooter

- Armrests are padded and adjustable.
- Ergonomic throttle control.
- Height-adjustable swivel seat features fold-down backrest.
- Seat back reclines and features adjustable headrest.
- Available with 20" or 22" width Captain's Seat
- Seat position can be adjusted forward or backward.
- Pneumatic tires and full suspension.
- Large, plastic carry basket.
- Easy-to-adjust tiller.
- Programmable controller.
- Anti-tip wheels.
- Headlight.
- Rearview mirrors.
- Turn signals/hazard lights.
- Delta tiller.
- Easy freewheel operation.
- Additional hand-operated drum brake.

specifications

HCPCS	K0899	Batteries (pair)	12V x 50AH
Weight Capacity	500 lbs.	Charger	5A Offboard
Top Speed	7 mph	Brakes	Electromagnetic & Drum
Maximum Range	23 miles	Front Wheels	12" x 3.5" Pneumatic
Turning Radius	50"	Rear Wheels	12" x 3.5" Pneumatic
Climbing Angle	7.5°	Base Weight	130 lbs.
Ground Clearance	5"	Battery Weight	66 lbs.
Dimensions	51" (L) x 26" (W)	Seat Weight	55 lbs.
Floor-to-Seat Height	25" - 28"	Total Weight	251 lbs.
Seat Type	Captain's	Warranty on Frame	Lifetime
Seat Dimensions	20" (W) x 20" (D) | 22" (W) x 20" (D)	Warranty on Electronic Controller/Drive Train Components	14 months
Motor	24V x 1300W x 4350 rpm	Warranty on Battery	6 months

Item #	Seat	UOM
PROWLER3410MG20CS	20" Captain's Seat	1/cs
PROWLER3410MG22CS	22" Captain's Seat	1/cs

1P PACK

500 lb BARIATRIC

HCPCS
K0899

Prowler 3410
Large Scooter

- Ergonomic throttle control.
- Height-adjustable swivel seat features fold-down backrest.
- Seat back reclines and features adjustable headrest.
- Available with 20" or 22" width Captain's Seat.
- Seat position can be adjusted forward or backward.
- Pneumatic tires and full suspension.
- Large, plastic carry basket.
- Easy-to-adjust tiller.
- Programmable controller.
- Anti-tip wheels.
- Headlight.
- Rearview mirrors.
- Turn signals/hazard lights.
- Front reflectors.
- Delta tiller.
- Easy freewheel operation.
- Additional hand-operated drum brake.

specifications

HCPCS	K0899	Batteries (pair)	12V x 50AH
Weight Capacity	500 lbs.	Charger	5 A Offboard
Top Speed	7 mph	Brakes	Electromagnetic & Drum
Maximum Range	23 miles	Front Wheels	12" x 3.5" Pneumatic
Turning Radius	69"	Rear Wheels	12" x 3.5" Pneumatic
Climbing Angle	7.5°	Base Weight	140 lbs.
Ground Clearance	5"	Battery Weight (pair)	66 lbs.
Dimensions	51" (L) x 26" (W)	Seat Weight	55 lbs.
Floor-to-Seat Height	25" - 28"	Total Weight	261 lbs.
Seat Type	Captain's	Warranty on Frame	Lifetime
Seat Dimensions	20" (W) x 20" (D) | 22" (W) x 20" (D)	Warranty on Electronic Controller/Drive Train Components	14 months
Motor	24V x 1300W x 4350 rpm	Warranty on Battery	6 months

Item #	Color	Seat	UOM
OSPREY4410MG20CS	Grey	20" Captain's Seat	1/cs
OSPREY4410MG22CS	Grey	22" Captain's Seat	1/cs

1P PACK

500 lbs BARIATRIC

HCPCS
K0899

Osprey 4410
Large Scooter

- Armrests are padded and adjustable.
- Ergonomic throttle control.
- Height-adjustable swivel seat features fold-down backrest.
- Seat back reclines and features adjustable headrest.
- Available with 20" or 22" width Captain's Seat.
- Seat position can be adjusted forward or backward.
- Pneumatic tires and full suspension.
- Large, plastic carry basket.
- Charger ports located on tiller and rear shroud.
- Infinitely adjustable tiller.
- Anti-tip wheels.
- Headlight.
- Rearview mirrors.
- Turn signals/hazard lights.
- Delta tiller.
- Easy freewheel operation.
- Additional hand-operated drum brake.

specifications

HCPCS	K0899	Batteries (pair)	12V x 75AH
Weight Capacity	500 lbs.	Charger	5A Offboard
Top Speed	9 mph	Brakes	Electromagnetic & Drum
Maximum Range	38 miles	Front Wheels	13" x 5" Pneumatic
Turning Radius	73"	Rear Wheels	13" x 5" Pneumatic
Climbing Angle	7.5°	Base Weight	179 lbs.
Ground Clearance	7"	Battery Weight (pair)	94 lbs.
Unit Dimensions	54" (L) x 29" (W)	Seat Weight	55 lbs.
Floor-to-Seat Height	27" - 30"	Total Weight	328 lbs.
Seat Type	Captain's	Warranty on Frame	Lifetime
Seat Dimensions	20" (W) x 20" (D) | 22" (W) x 20" (D)	Warranty on Electronic Controller/Drive Train Components	14 months
Motor	24V x 920W x 3700 rpm	Warranty on Battery	6 months

Doormatic Automatic Door Opener

Item #	UOM
850100300	1/ea

- The Doormatic revolutionizes opening doors.
- No drilling, no tools, no structural changes to door or door frame.
- Automatically opens and closes internal doors.
- Easy "tool-free" installation with Velcro®.
- Battery operated.
- Simple "push" or "pull" activates the automatic door opener.
- Easy-to-read menu.
- Waiting time and speed can be preset.
- Operates on many different surfaces.
- Comes with obstacle detection for added safety.
- Add optional remote control (Model #850000165) for those who cannot push or pull door.
- Add an optional motion sensor (Model #850000128) for those who cannot push or pull door and cannot operate remote control. Door opens by breaking the beam. (Can be preset)

specifications	
Warranty	Limited 1 Year

accessories		
850000165	Remote Control	1/ea
850000128	Motion Sensor	1/ea

Swing-away Controller Arm

Item #	Description	UOM
AA1800	Swing-away Controller Arm - Wildcat 450	1/ea
AA4100	Swing-away Controller Arm - Cobalt, Titan, Medalist, Renegade, Medalist 450	1/ea
SF1009	Swing-away Controller Arm - Image and Sunfire Power Chairs	1/ea
TRID-A37	Swing-away Controller Arm - Trident	1/ea

Elevating Leg Rest Kit

Item #	Description	UOM
ECELR-P	Seat Plate Bracket - SFELR	1/ea
TRID-2A40	Seat Plate Bracket - Trident SFELR	1/ea
AE2500	ELR Bracket, Hemi Spacing	1/ea
AE3000	ELR Bracket - Medalist 450	1/ea
SFELR	Front Rigging Hanger Bracket	1/ea
CPELR	Elevating Leg Rests - Cirrus Plus	1/pr
LK3JELR	ELR Set	1/pr
HDELR	ELR Set, HD	1/pr
AE2100	ELR Set, 3" Spacing	1/pr

Scooter Trailer

Item #	UOM
AT1000	1/ea

- The Scooter Trailer provides convenient transportation for large items when using your scooter outdoors. The removable cover protects your cargo and the durable soft sides and tough aluminum frame allow you to fold the trailer easily for storage.

specifications	
Dimensions	25" (L) x 25" (W) x 22" (H)

Sunshade

Item #	Description	UOM
SF8050	Sunshade for Scooter	1/ea

- Provides easy-to-install shade when traveling in your scooter outdoors.
- Accessory port built into frame, allowing additional accessories to be used with shade.

specifications	
Dimension	38.5" x 24" x 64.5"

Scooter Dust Cover

Item #	Description	UOM
AZ1000	Small Scooter Dust Cover	1/ea
AZ2000	Medium Scooter Dust Cover	1/ea
AZ3000	Large Scooter Dust Cover	1/ea
AZ4000	Extra-large Scooter Dust Cover	1/ea

- Protect your scooter from dirt and the elements with a cover fitted to your product's size.

Cane Holder Set

Item #	Description	UOM
AH1000	Cane Holder Set	1/ea

- Keep your crutches or cane with you when you travel on your scooter or wheelchair with a handy steel carrier that mounts simply to the rear of your product's seat frame and offers hook-and-loop-fasteners to keep your mobility aid safely in place.

Oxygen Cylinder Holder

Item #	Description	UOM
AH2000	Oxygen Cylinder Holder	1/ea

- Make traveling with a "D" size oxygen cylinder easier with a Cylinder Tank Carrier. It's constructed of durable steel and attaches easily to your scooter or power wheelchair. The Cylinder Tank Carrier also keeps your O_2 secure with helpful hook-and-loop fasteners.

Oxygen Cylinder Carry Bag

Item #	Product Description	UOM
STDS6008-1	Oxygen Cylinder Carry Bag for Wheelchair	1/ea

- The Oxygen Cylinder Carry Bag adjusts for use with "D" and "E" cylinders.
- Top and bottom clasps easily attach for a secure fit to your folding power wheelchair.
- Constructed of durable, easy-to-clean nylon, the carry bag also includes two carry handles.

Rear Basket

Item #	Description	UOM
AB2100	Rear Basket	1/ea

- Our roomy rear basket boasts strong steel construction making it a great option for carrying items that are too large or heavy for your front basket. Great for quick trips to the store! Not for use with power wheelchairs.

specifications	
Dimensions	15.5" (W) x 10" (H) x 10" (D)

Armrest Bag

Item #	Description	Product Size	UOM
AB1000	Armrest Bag	Large	1/ea

- The Armrest Bag has four pockets, perfectly sized for carrying phones, paperbacks or personal electronics. It even features a mesh drink holder. Plus, the top of the bag is padded so resting your arm on it is even more comfortable.

specifications	
Dimensions	14" (L) x 11" (H) x 4" (D)

Oval Bag

Item #	Description	UOM
AB1100	Oval Bag	1/ea

- The Oval Bag is a sturdy, hard-sided bag that provides safe storage for your items. And, it can be unzipped to expand for even more packing space.

specifications	
Dimensions	14" (W) x 11" (H) x 4" (D)

Carry All Bag

Item #	Description	UOM
AB1110	Carry All Bag	1/ea

- Our Carry All Bag is not just great for carrying your items while traveling on your scooter, but it also offers a convenient shoulder strap, making it a great “briefcase” for taking items with you off your scooter, as well. Best suited for travel scooters.

specifications	
Dimensions	15" (W) x 12.5" (H) x 4" (D)

Backpack

Item #	Description	UOM
AB1120	Backpack	1/ea

- The Backpack has a super-sized, expandable main compartment with hook-and-loop fasteners, two zippered compartments, two mesh side pockets, plus an attached headrest cover and handy carrying handle.

specifications

Dimensions	14" (W) x 14" (H) x 6" (D)

Cup Holder

Item #	Description	UOM
AZ0060	Cup Holder	1/ea

- Take your favorite hot or cold beverage with you anywhere with our handy Cup Holder that attaches to your product's armrest.

Captain's Seat Cover

Item #	Description	UOM
ST205-Cover	18" Seat Cover	1/ea
ST301-Cover	20" Seat Cover	1/ea
ST306-Cover	22" Seat Cover	1/ea

- Keep your Captain's Seat upholstery looking good as new by protecting it with a seat cover which features separate, fitted segments for the headrest, seat back and seat cushion.

2014 POWER MOBILITY PRODUCT CATALOG

Drive Medical Design & Manufacturing
99 Seaview Boulevard
Port Washington, NY 11050

t: 877.224.0946 | f: 516.998.4601
www.drivemedical.com

PRINTED IN CHINA

Copyright© 2014 Medical Depot, Inc. dba Drive Medical Design and Manufacturing®, 99 Seaview Boulevard, Port Washington, NY 11050. All trademarks used in association with the sale of products of Drive Medical Design and Manufacturing are trademarks owned by Medical Depot, Inc. All other trademarks, trade names, service marks and logos referenced herein belong to their respective companies.